

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
3.000	1.835	23	.062/1.57	511014
3.370	1.835	23	.079/2.01	511013
3.503	2.441	12	.070/1.78	511542
3.709	2.932	36	.079/2.01	511294
3.895	2.086	26	.070/1.78	511015
3.914	2.831	48	.071/1.80	511904
3.970	2.830	39	.078/1.98	511872
3.970	2.830	39	.070/1.78	511879
4.048	2.841	26	.079/2.01	511787
4.070	3.350	8	.125/3.18	511731
4.070	3.350	8	.071/1.80	511732
4.098	2.845	29	.070/1.78	511806
4.098	2.863	29	.083/2.11	511819
4.105	2.995	30	.071/1.80	511671
4.150	2.800	18	.063/1.60	511051
4.150	2.800	18	.079/2.01	511912
4.202	3.220	20/30	.114/2.90	511226
4.205	3.643	0	.070/1.78	511907
4.223	3.186	24	.051/1.30	511473
4.240	2.825	26	.100/2.54	511914
4.252	3.000	24	.071/1.80	511876
4.257	3.000	24	.060/1.52	511919
4.260	3.385	24	.079/2.01	511667
4.314	2.845	28	.057/1.45	511781
4.315	2.845	28	.063/1.60	511759
4.320	3.546	24	.070/1.78	511207
4.362	3.428	18	.079/2.01	511961
4.365	3.420	18	.057/1.45	511967
4.405	3.510	28	.079/2.01	511738
4.420	3.226	8	.078/1.98	511874
4.420	3.226	8	.069/1.75	511880
4.428	3.235	32	.063/1.60	511528
4.472	3.125	44	.069/1.75	511285
4.472	3.125	44	.069/1.75	511286
4.489	3.693	24	.071/1.80	511208
4.490	3.570	20	.071/1.80	511886
4.493	3.675	38	.071/1.80	511093
4.493	3.674	38	.090/2.29	511097
4.493	3.675	38	.062/1.57	511100
4.493	3.674	38	.130/3.30	511101
4.505	3.070	30	.071/1.80	511675
4.511	3.976	36	.055/1.40	511291
4.515	3.350	39	.067/1.70	511824
4.525	3.603	36	.069/1.75	511573
4.525	3.345	44	.055/1.40	511826
4.525	3.345	44	.062/1.57	511827
4.525	3.345	44	.068/1.73	511828
4.555	3.220	18	.063/1.60	511906
4.555	3.222	18	.079/2.01	511908

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
4.560	3.936	16	.079/2.01	511292
4.568	3.582	12	.071/1.80	511990
4.570	3.585	8	.071/1.80	511994
4.575	3.225	8	.078/1.98	511878
4.575	3.225	8	.063/1.60	511899
4.575	3.200	8	.070/1.78	511913
4.621	3.643	0	.069/1.75	511858
4.640	3.396	30/40	.118/3.00	511715
4.640	3.250	6	.158/4.01	511741
4.640	3.250	6	.138/3.51	511742
4.640	3.250	6	.079/2.01	511743
4.649	3.155	8	.071/1.80	511892
4.664	3.420	8	.071/1.80	511981
4.681	3.600	28	.054/1.37	511434
4.681	3.600	28	.079/2.01	511435
4.690	3.610	18	.063/1.60	511663
4.690	3.610	18	.095/2.41	511664
4.695	3.692	28	.087/2.21	511436
4.695	3.692	28	.079/2.01	511437
4.696	3.585	15/18	.098/2.49	511705
4.699	3.870	26	.063/1.60	511091
4.700	3.585	18	.071/1.80	511701
4.700	3.575	40	.079/2.01	511983
4.723	3.787	18/24	.070/1.78	511513
4.724	3.631	28	.098/2.49	511853
4.724	4.606	28	.079/2.01	511856
4.733	3.522	30	.063/1.60	511978
4.739	3.525	16	.080/2.03	511805
4.745	2.615	34	.086/2.18	511640
4.745	2.615	34	.086/2.18	51K640
4.765	3.715	32	.138/3.51	511112
4.765	3.871	30	.063/1.60	511117
4.766	3.718	32	.063/1.60	511113
4.772	3.631	28/30	.063/1.60	511855
4.783	3.593	26/28	.090/2.29	511354
4.783	3.590	26/28	.080/2.03	511355
4.783	3.593	26/28	.060/1.52	511356
4.783	3.593	28/56	.095/2.41	511708
4.783	3.593	26/28	.090/2.29	51K354
4.783	3.590	26/28	.080/2.03	51K355
4.785	3.593	28/56	.080/2.03	511455
4.794	3.523	11	.071/1.80	511984
4.795	3.966	24	.070/1.78	511196
4.805	3.465	24	.070/1.78	511692
4.805	3.465	24	.109/2.77	511693
4.805	3.465	24	.138/3.51	511694
4.805	3.440	10	.078/1.98	511893
4.805	3.440	10	.069/1.75	511898
4.805	3.440	10	.090/2.29	511909

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
4.805	3.220	10	.079/2.01	511918
4.810	3.220	10	.063/1.60	511050
4.810	3.810	19	.065/1.65	511369
4.810	3.600	24	.079/2.01	511946
4.810	3.595	24	.063/1.60	511947
4.810	3.600	24	.091/2.31	511948
4.822	3.800	19	.068/1.73	511370
4.822	3.800	19	.100/2.54	511375
4.824	3.801	19	.078/1.98	511372
4.830	3.443	24	.118/3.00	511895
4.830	3.443	24	.079/2.01	511910
4.830	3.443	24	.090/2.29	511911
4.855	4.024	16	.063/1.60	511095
4.860	3.855	30/40	.070/1.78	511718
4.862	4.031	30	.091/2.31	511096
4.862	4.031	30	.130/3.30	511098
4.868	3.658	28	.130/3.30	511116
4.868	3.658	28	.060/1.52	511126
4.868	3.658	28	.069/1.75	511128
4.868	3.658	28	.060/1.52	51K126
4.868	3.658	28	.069/1.75	51K128
4.870	4.031	30	.064/1.63	511088
4.888	3.955	24	.070/1.78	511514
4.915	3.470	6	.079/2.01	511748
4.918	4.121	30	.072/1.83	511901
4.920	4.115	15	.128/3.25	511150
4.920	4.115	15	.144/3.66	511151
4.920	4.115	30	.063/1.60	511152
4.920	4.121	30	.065/1.65	511902
4.920	4.115	30	.063/1.60	51K152
4.937	4.002	16	.070/1.78	511518
4.955	3.390	24	.071/1.80	511761
4.956	3.695	16	.074/1.88	511544
4.957	4.177	24	.094/2.39	511197
4.959	4.175	24	.070/1.78	511201
4.961	3.546	28	.063/1.60	511245
4.962	3.326	24	.080/2.03	511248
4.970	3.680	20	.079/2.01	511650
4.970	4.060	17	.079/2.01	511835
4.976	3.675	24	.063/1.60	511917
4.984	3.682	24	.079/2.01	511894
4.985	4.726	24	.090/2.29	511897
4.985	3.465	24	.091/2.31	511979
4.986	3.510	10	.042/1.07	511510
4.987	3.384	24	.063/1.60	511525
4.987	3.675	24	.102/2.59	511896
4.989	3.370	18	.153/3.89	511412
4.989	3.504	30	.190/4.83	511413
4.989	3.370	12	.090/2.29	511440

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
4.989	3.370	12	.030/0.76	511447
4.989	3.509	24	.103/2.62	511501
4.989	3.509	24/30	.091/2.31	511502
4.989	3.509	26	.077/1.96	511505
4.989	3.509	29/30	.049/1.24	511507
4.989	3.509	26	.050/1.27	511509
4.989	3.509	24/30	.091/2.31	51K502
4.989	3.509	26	.077/1.96	51K505
4.990	3.370	6	.043/1.09	511457
4.990	3.675	24	.071/1.80	511812
4.991	3.389	30	.091/2.31	511349
4.991	3.377	24	.079/2.01	511350
4.995	3.680	24	.079/2.01	511250
4.995	3.393	30	.063/1.60	511526
4.995	3.393	30	.079/2.01	511527
4.995	3.680	24	.157/3.99	511648
4.996	3.797	24	.098/2.49	511474
4.999	3.783	36	.069/1.75	511269
5.000	3.480	20/30	.098/2.49	511037
5.000	3.660	34	.125/3.18	511118
5.000	3.781	24	.068/1.73	511280
5.000	3.690	30	.062/1.57	511649
5.001	3.660	34	.079/2.01	511115
5.001	3.658	34	.060/1.52	511122
5.001	3.658	34	.069/1.75	511125
5.001	3.658	34	.069/1.75	51K125
5.001	3.658	34	.060/1.52	51K122
5.006	3.476	20/30	.157/3.99	511178
5.008	3.591	20/30	.158/4.01	511302
5.024	4.057	32	.206/5.23	511773
5.026	3.929	36	.070/1.78	511338
5.029	4.096	32	.079/2.01	511788
5.030	3.665	11/12	.071/1.80	511797
5.035	3.530	6	.158/4.01	511744
5.035	3.530	6	.138/3.51	511745
5.035	3.530	6	.079/2.01	511746
5.042	3.978	20	.083/2.11	511367
5.042	3.978	20	.065/1.65	511368
5.045	4.095	32	.057/1.45	511789
5.048	3.968	20	.068/1.73	511371
5.048	3.968	20	.080/2.03	511373
5.048	3.968	20	.100/2.54	511374
5.070	3.825	28	.079/2.01	511968
5.073	4.175	25	.039/.99	511032
5.073	4.175	25	.047/1.19	511176
5.073	4.175	25	.047/1.19	51K176
5.075	3.675	24	.063/1.60	511240
5.075	3.675	24	.062/1.57	511241
5.075	3.675	24	.078/1.98	511242

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.075	3.675	24	.062/1.58	511407
5.075	3.675	24	.077/1.96	511408
5.081	4.168	25	.032/.81	511076
5.090	3.770	25	.100/2.54	511018
5.090	3.770	25	.158/4.01	511019
5.090	3.510	6	.068/1.73	511822
5.095	3.819	24	.083/2.11	511259
5.095	3.819	24	.059/1.50	511260
5.100	3.465	20	.091/2.31	511052
5.105	3.695	24	.090/2.29	511036
5.105	3.675	20	.079/2.01	511053
5.105	3.465	20	.098/2.49	511119
5.105	3.675	20	.086/2.18	511120
5.105	3.695	24	.079/2.01	511647
5.107	4.291	3	.079/2.01	511102
5.107	4.291	3	.059/1.50	511771
5.130	3.695	20	.090/2.29	511034
5.135	4.277	24	.071/1.80	511310
5.146	4.115	42	.068/1.73	511496
5.149	4.472	15	.118/3.00	511475
5.163	3.912	40	.079/2.01	511790
5.170	3.745	24	.179/4.55	511795
5.170	3.740	24	.094/2.39	511796
5.195	4.015	8	.069/1.75	511867
5.195	4.015	8	.069/1.75	51K867
5.199	4.099	12	.040/1.02	511498
5.200	4.130	8	.079/2.01	511848
5.200	4.039	8	.080/2.03	511875
5.200	4.133	8	.071/1.80	511883
5.200	4.130	8	.054/1.37	511970
5.209	4.000	8	.055/1.40	511987
5.212	4.105	8	.069/1.75	511402
5.219	4.094	8	.100/2.54	511401
5.219	4.151	8	.063/1.60	511971
5.220	4.252	8	.069/1.75	511399
5.220	4.000	8	.091/2.31	511988
5.225	4.075	30	.070/1.78	511540
5.225	4.130	8	.091/2.31	511825
5.225	4.068	53	.078/1.98	511837
5.231	4.355	32	.063/1.60	511090
5.250	3.882	18	.070/1.78	511263
5.250	4.516	30	.079/2.01	511962
5.250	4.130	6	.079/2.01	511964
5.255	3.675	20	.079/2.01	511055
5.255	3.675	20	.091/2.31	511056
5.255	3.571	20	.078/1.98	511345
5.255	3.460	20	.079/2.01	511762
5.255	3.750	20	.079/2.01	511915
5.255	3.750	20	.102/2.59	511916

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.255	3.750	20	.062/1.57	511949
5.257	3.568	24	.070/1.79	511243
5.257	3.625	32	.063/1.60	511247
5.257	4.135	24	.098/2.49	511830
5.257	4.132	24	.079/2.01	511845
5.257	4.142	20	.070/1.78	511882
5.257	4.135	20/24	.118/3.00	511974
5.257	4.135	23/24	.071/1.80	511976
5.260	3.675	20	.062/1.57	511657
5.260	4.095	6	.071/1.80	511997
5.263	3.742	24	.095/2.41	511145
5.268	4.431	24	.079/2.01	511860
5.268	4.431	24	.122/3.10	511863
5.268	4.419	24	.055/1.40	511965
5.268	4.400	24	.107/2.72	511966
5.270	3.470	6	.118/3.00	511758
5.272	4.419	6	.078/1.98	511861
5.275	3.470	6	.138/3.51	511747
5.275	3.470	6	.197/5.00	511775
5.275	4.200	24	.055/1.40	511924
5.277	4.421	24	.070/1.78	511866
5.280	3.970	24	.070/1.78	511070
5.280	3.970	24	.150/3.81	511071
5.280	3.940	12	.069/1.75	511228
5.280	3.940	12	.079/2.01	511229
5.280	3.940	12	.086/2.18	511529
5.280	3.940	12	.069/1.75	51K228
5.283	4.218	24	.059/1.50	511921
5.283	4.218	24	.083/2.11	511922
5.285	3.940	12	.088/2.24	511711
5.287	4.260	18	.078/1.98	511173
5.290	4.045	20	.079/2.01	511727
5.295	4.115	24/26	.079/2.01	511020
5.295	4.115	24/26	.070/1.78	511079
5.297	4.493	24	.072/1.83	511311
5.297	4.010	10	.070/1.78	511942
5.300	3.860	12	.069/1.75	511183
5.300	3.860	12	.069/1.75	51K183
5.303	4.120	24	.150/3.81	511080
5.310	4.120	24/26	.120/3.05	511069
5.310	3.865	12	.060/1.52	511182
5.310	3.865	12	.060/1.52	51K182
5.315	4.000	10	.095/2.41	511725
5.315	4.000	10	.075/1.91	511726
5.315	3.680	24	.079/2.01	511763
5.366	4.015	15	.069/1.75	511869
5.366	4.015	15	.069/1.75	51K869
5.370	4.030	15	.071/1.80	511986
5.375	4.427	32	.063/1.60	511087

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.375	4.260	30/40	.075/1.91	511714
5.376	4.340	16	.070/1.78	511211
5.392	4.650	30	.079/2.01	511960
5.397	4.015	8	.094/2.39	511870
5.400	4.260	36	.085/2.16	511186
5.400	4.260	36	.085/2.16	511452
5.400	4.260	36	.085/2.16	51K186
5.404	4.206	27/30	.072/1.83	511395
5.405	4.210	24	.118/3.00	511171
5.405	4.210	24	.082/2.08	511679
5.405	4.015	8	.118/3.00	511838
5.405	4.015	8	.069/1.75	511868
5.405	4.015	8	.069/1.75	51K868
5.410	3.670	6	.095/2.41	511813
5.410	3.670	6	.086/2.18	511814
5.410	3.670	6	.071/1.80	511815
5.410	3.670	6	.062/1.57	511816
5.410	3.670	6	.079/2.01	511817
5.410	4.065	18	.079/2.01	511818
5.410	5.006	8	.079/2.01	511829
5.420	4.635	27	.065/1.65	511143
5.420	3.675	24	.071/1.80	511651
5.420	3.675	24	.062/1.57	511655
5.420	3.675	24	.079/2.01	511656
5.420	4.635	27	.065/1.65	51K143
5.422	3.676	28	.063/1.60	511244
5.422	3.743	24	.062/1.57	511348
5.423	3.785	34	.049/1.24	511446
5.426	3.778	34/36	.069/1.75	511438
5.426	3.785	36	.090/2.29	511441
5.426	3.785	34	.078/1.98	511443
5.426	3.785	36	.090/2.29	511444
5.426	3.785	34	.078/1.98	511445
5.435	4.135	26	.075/1.91	511707
5.435	4.300	35/36	.070/1.78	511807
5.438	4.300	36	.0825/2.10	511820
5.440	4.070	24	.079/2.01	511040
5.440	4.073	24	.063/1.60	511054
5.445	3.680	6	.071/1.80	511033
5.445	4.650	8	.128/3.25	511733
5.445	4.650	8	.071/1.80	511734
5.452	4.092	13	.079/2.01	511210
5.455	3.958	36	.078/1.98	511563
5.455	3.958	36	.078/1.98	51K563
5.457	4.443	16/18	.062/1.57	511148
5.459	4.253	24	.082/2.08	511397
5.472	3.903	50	.069/1.75	511035
5.472	3.903	54	.069/1.75	511127
5.472	3.903	50	.088/2.24	511318

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.472	3.903	54	.069/1.75	51K127
5.475	4.755	10	.071/1.80	511293
5.475	4.650	19	.048/1.22	511730
5.475	4.650	19	.118/3.00	511736
5.480	3.957	36	.083/2.11	511804
5.483	4.413	27	.068/1.73	511931
5.483	4.413	27	.118/3.00	511936
5.483	4.413	27	.079/2.01	511937
5.483	4.413	27	.095/2.41	511938
5.483	4.413	27	.108/2.74	511950
5.490	4.415	24	.118/3.00	511767
5.490	4.415	24	.079/2.01	511768
5.513	4.008	8	.042/1.07	511499
5.516	3.992	30	.085/2.16	511543
5.520	3.990	30	.085/2.16	511545
5.520	4.730	24	.071/1.80	511670
5.520	4.730	24	.118/3.00	511676
5.529	3.903	32	.067/1.70	511124
5.529	3.903	32	.067/1.70	51K124
5.535	4.095	15	.070/1.78	511175
5.540	4.260	32	.069/1.75	511230
5.540	4.106	32	.079/2.01	511231
5.540	4.106	32	.118/3.00	511232
5.540	3.780	20	.069/1.75	511235
5.560	4.245	18	.110/2.79	511791
5.564	4.060	9	.155/3.94	511038
5.565	4.443	15/18	.071/1.80	511149
5.565	4.445	18	.077/1.96	511158
5.570	4.340	30	.060/1.52	511560
5.570	4.344	27/30	.077/1.96	511564
5.570	4.344	27/30	.063/1.60	511565
5.570	4.340	30	.060/1.52	51K560
5.570	4.344	30	.077/1.96	51K564
5.575	4.235	20	.098/2.49	511494
5.575	4.335	26	.092/2.34	511569
5.575	4.335	26	.101/2.57	511769
5.575	4.335	26	.092/2.34	51K569
5.579	3.967	32	.063/1.60	511246
5.589	4.155	6	.091/2.31	511833
5.589	4.155	6	.157/3.99	511834
5.589	4.155	6	.118/3.00	511849
5.595	4.485	12	.071/1.80	511991
5.597	4.539	14	.099/2.51	511462
5.600	4.490	12	.079/2.01	511702
5.605	4.525	14	.099/2.51	511468
5.606	4.158	6	.070/1.78	511850
5.606	4.158	6	.055/1.40	511972
5.606	4.158	6	.079/2.01	511973
5.606	4.520	14	.098/2.50	51K462

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.615	5.257	16	.157/3.99	511832
5.615	4.162	16	.098/2.49	511840
5.615	4.162	16	.071/1.80	511841
5.620	4.655	20/30	.071/1.80	511021
5.620	4.655	20/30	.098/2.49	511022
5.622	4.500	36	.079/2.01	511192
5.625	4.455	36	.063/1.60	511414
5.625	3.880	36	.090/2.29	511415
5.625	3.880	36	.068/1.73	511458
5.625	4.565	6	.062/1.57	511843
5.630	4.155	24	.071/1.80	511753
5.630	4.155	24	.090/2.29	511985
5.635	3.903	34	.068/1.73	511123
5.635	3.903	34	.068/1.73	51K123
5.659	4.843	27/30	.079/2.01	511261
5.660	4.845	30	.057/1.45	511765
5.665	4.095	6	.138/3.51	511749
5.665	4.100	6	.079/2.01	511750
5.665	4.100	6	.177/4.50	511774
5.665	4.100	6	.197/5.00	511798
5.665	4.215	13	.079/2.01	511857
5.670	4.920	32	.055/1.40	511429
5.670	4.450	8	.063/1.60	511432
5.670	4.920	32	.071/1.80	511433
5.670	4.845	32	.055/1.40	511668
5.670	5.208	13/15	.071/1.80	511903
5.675	4.715	30	.055/1.40	511700
5.682	4.495	40	.070/1.78	511794
5.685	4.705	8	.101/2.57	511954
5.690	4.123	26	.088/2.24	511066
5.690	4.363	26	.071/1.80	511067
5.709	4.513	26	.058/1.47	511289
5.720	5.025	36	.063/1.60	511114
5.732	4.680	12	.069/1.75	511531
5.732	4.680	12	.054/1.37	511532
5.732	4.680	12	.069/1.75	51K531
5.732	4.680	12	.054/1.37	51K532
5.750	4.964	30	.070/1.78	511431
5.760	4.705	8	.079/2.01	511969
5.780	4.790	8	.098/2.49	511737
5.793	5.136	0	.063/1.60	511854
5.817	4.582	29	.100/2.54	511831
5.817	4.582	29	.071/1.80	511847
5.822	4.527	8	.079/2.01	511488
5.825	4.528	8	.069/1.75	511638
5.825	4.528	8	.100/2.54	511639
5.825	4.735	24	.048/1.22	511673
5.825	4.680	20	.134/3.40	511720
5.825	4.680	20	.150/3.81	511721

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
5.825	4.680	20	.071/1.80	511996
5.859	4.960	3	.060/1.52	511772
5.860	4.960	3	.079/2.01	511684
5.875	4.405	12	.068/1.73	511169
5.875	4.405	12	.068/1.73	51K169
5.880	4.880	18	.071/1.80	511757
5.890	4.860	23	.114/2.90	511756
5.895	4.916	32	.063/1.60	511274
5.895	4.213	8	.079/2.01	511276
5.895	4.213	8	.114/2.90	511277
5.896	4.370	11	.077/1.96	511503
5.896	4.370	11	.075/1.91	511506
5.896	4.370	11	.086/2.18	511508
5.896	4.370	11	.077/1.96	51K503
5.900	4.100	16/36	.125/3.18	511989
5.900	4.095	16/36	.071/1.80	511998
5.900	4.680	36	.071/1.80	511999
5.905	4.895	12	.071/1.80	511723
5.910	4.685	24	.071/1.80	511681
5.910	4.685	24	.118/3.00	511682
5.923	4.321	15	.069/1.75	511842
5.955	5.000	20	.095/2.41	511307
5.955	5.000	24	.071/1.80	511519
5.955	5.000	24	.094/2.40	1519A240
5.955	5.000	24	.098/2.50	1519A250
5.955	5.000	24	.102/2.60	1519A260
5.955	5.000	24	.106/2.70	1519A270
5.955	5.000	24	.110/2.80	1519A280
5.955	5.000	24	.114/2.90	1519A290
5.955	5.000	24	.118/3.00	1519A300
5.960	5.120	37	.063/1.60	511887
5.971	4.811	8	.063/1.60	511086
5.972	4.254	10	.092/2.34	511607
5.972	4.254	10	.078/1.98	511608
5.972	4.254	10	.092/2.34	51K607
5.974	4.772	20/30	.078/1.98	511547
5.975	4.580	12	.071/1.80	511884
5.975	4.583	12	.071/1.80	511885
5.977	4.920	12	.071/1.80	511980
5.978	4.808	32	.062/1.57	511084
5.979	3.465	6	.199/5.05	511410
5.985	4.955	32	.070/1.78	511953
5.990	3.470	3	.077/1.96	511442
5.990	3.470	3	.072/1.83	511448
5.990	3.470	3	.133/3.38	511450
5.990	3.510	3	.086/2.18	511454
5.990	3.510	3	.129/3.28	511456
5.999	4.703	28	.079/2.01	511333
5.999	4.703	28	.062/1.57	511336

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.000	4.920	16/24	.070/1.78	511199
6.006	4.684	4	.077/1.96	511561
6.010	4.688	22	.078/1.98	511566
6.010	4.688	14	.089/2.26	511567
6.010	4.688	22	.078/1.98	51K566
6.019	5.150	40	.070/1.78	511522
6.019	5.150	40	.106/2.70	1522A270
6.019	5.150	40	.110/2.80	1522A280
6.019	5.150	40	.114/2.90	1522A290
6.019	5.150	40	.118/3.00	1522A300
6.019	5.150	40	.122/3.10	1522A310
6.019	5.150	40	.126/3.20	1522A320
6.019	5.150	40	.130/3.30	1522A330
6.028	5.247	32	.079/2.01	511296
6.030	5.200	24	.071/1.80	511674
6.035	5.200	24	.040/1.02	511672
6.036	4.580	12	.070/1.78	511851
6.038	4.952	24	.082/2.08	511398
6.051	4.254	20	.070/1.78	511588
6.053	4.952	34	.069/1.75	511138
6.062	4.709	34	.069/1.75	511139
6.065	4.709	34	.069/1.75	511133
6.065	4.709	34	.088/2.24	511136
6.065	4.729	21	.072/1.83	511140
6.065	4.925	21	.083/2.11	511141
6.065	4.715	32/34	.095/2.41	511142
6.065	5.170	12	.051/1.30	511658
6.065	5.170	12	.075/1.91	511810
6.065	4.715	32/34	.095/2.41	51K142
6.068	4.138	20	.095/2.41	511214
6.070	4.564	30	.079/2.01	511482
6.074	4.545	11/24	.079/2.01	511200
6.080	4.255	20	.140/3.56	511585
6.080	4.255	20	.050/1.27	511586
6.083	4.254	20	.078/1.98	511601
6.083	4.254	20	.069/1.75	511603
6.083	4.254	20	.090/2.29	511609
6.083	4.254	20	.078/1.98	51K601
6.083	4.254	20	.090/2.29	51K609
6.090	4.850	20	.071/1.80	511027
6.090	4.850	20	.098/2.49	511028
6.090	4.850	20/30	.118/3.00	1028A300
6.093	4.854	12	.080/2.03	511865
6.098	5.040	12	.070/1.78	511512
6.104	4.990	15	.048/1.22	511595
6.105	4.820	24	.070/1.78	511695
6.115	4.885	24	.071/1.80	511108
6.116	4.704	6	.079/2.01	511932
6.116	5.322	24	.079/2.01	511933

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.116	5.322	24	.071/1.80	511934
6.117	4.970	20	.095/2.41	511582
6.117	4.970	20	.095/2.41	511583
6.117	4.970	20	.106/2.69	511587
6.117	4.970	20	.107/2.72	511596
6.117	4.970	20	.060/1.52	511597
6.117	4.970	20	.078/1.98	511599
6.117	4.970	15	.078/1.98	511600
6.117	4.990	15	.130/3.30	511602
6.117	4.970	20	.060/1.52	51K597
6.117	4.970	20	.078/1.98	51K599
6.117	4.970	20	.107/2.72	51K596
6.117	4.971	15	.068/1.73	51K600
6.125	5.250	20/30	.071/1.80	511023
6.129	4.381	10/30	.098/2.49	511546
6.132	5.090	20/30	.119/3.02	511548
6.136	4.693	12	.157/3.99	511778
6.136	4.688	12	.060/1.52	511920
6.136	4.688	12	.047/1.19	511925
6.136	4.688	12	.083/2.11	511926
6.136	4.688	12	.047/1.19	511928
6.138	5.695	12	.071/1.80	511877
6.140	4.845	18	.071/1.80	511735
6.143	4.810	12	.071/1.80	511779
6.143	4.800	12	.047/1.19	511927
6.146	4.470	30	.078/1.98	511400
6.146	4.471	30	.078/1.98	511403
6.150	4.860	14	.088/2.24	511712
6.150	5.175	8	.106/2.69	511754
6.150	5.175	8	.079/2.01	511755
6.155	5.090	12	.057/1.45	511770
6.155	5.090	12	.080/2.03	511780
6.157	5.050	30	.079/2.01	511929
6.158	5.359	30	.079/2.01	511930
6.160	4.814	52/54	.059/1.50	511121
6.160	4.855	14	.069/1.75	511553
6.160	5.245	32	.063/1.60	511952
6.160	4.855	14	.069/1.75	51K553
6.162	4.803	54	.069/1.75	511137
6.163	5.016	12	.095/2.41	511209
6.163	5.361	30	.080/2.03	511864
6.164	5.034	36	.099/2.51	511572
6.165	4.415	8	.079/2.01	511766
6.170	5.080	30	.110/2.79	511859
6.180	4.585	7	.092/2.34	511871
6.183	5.085	24	.070/1.78	511258
6.188	4.581	7	.080/2.03	511873
6.195	4.647	34	.069/1.75	511524
6.214	4.860	10	.063/1.60	511975

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.214	4.860	10	.071/1.80	511977
6.220	5.083	20	.079/2.01	511273
6.242	4.748	32	.069/1.75	511234
6.250	5.284	27/36	.084/2.13	511323
6.250	5.284	27/36	.091/2.31	511324
6.255	3.980	22	.091/2.31	511578
6.258	5.482	24	.071/1.80	511205
6.258	4.689	22	.091/2.31	511580
6.262	5.405	24	.095/2.41	511206
6.262	5.955	14	.060/1.52	511352
6.262	5.955	14	.060/1.52	51K352
6.262	4.575	14	.060/1.52	51K406
6.265	4.680	16	.079/2.01	511212
6.275	4.575	14	.069/1.75	511353
6.275	4.565	14	.077/1.96	511405
6.275	4.565	14	.060/1.52	511406
6.275	4.565	12/14	.092/2.34	511460
6.275	4.793	2	.054/1.37	511463
6.275	4.826	12/14	.042/1.07	511465
6.275	4.730	6	.040/1.02	511466
6.275	4.580	14	.042/1.07	511469
6.275	4.575	14	.069/1.75	51K353
6.275	4.565	14	.077/1.96	51K405
6.275	4.565	12/14	.092/2.34	51K460
6.278	4.896	16/18	.063/1.60	511147
6.280	4.900	18	.078/1.98	511159
6.280	4.893	16/18	.063/1.60	511485
6.285	5.903	14/15	.063/1.60	511905
6.287	5.089	14	.079/2.01	511935
6.287	5.089	14	.071/1.80	511951
6.293	5.222	48	.071/1.80	511391
6.293	5.470	10	.079/2.01	511963
6.296	4.866	32	.069/1.75	511134
6.296	4.748	32	.069/1.75	511135
6.300	5.065	36	.120/3.05	511739
6.300	5.065	36	.098/2.49	511740
6.300	5.005	40	.071/1.80	511800
6.322	4.995	6	.150/3.81	511074
6.332	4.995	6	.071/1.80	511072
6.332	4.995	12	.070/1.78	511073
6.332	5.000	24	.040/1.02	511075
6.332	5.000	24	.071/1.80	511077
6.332	5.287	24	.039/.99	511078
6.341	4.688	24	.098/2.49	511257
6.355	5.200	40	.118/3.00	511955
6.355	5.200	40	.079/2.01	511957
6.380	5.150	40	.070/1.78	511521
6.380	5.075	36	.050/1.27	511584
6.380	5.150	40	.098/2.50	1521A250

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.380	5.150	40	.102/2.60	1521A260
6.380	5.150	40	.106/2.70	1521A270
6.380	5.150	40	.110/2.80	1521A280
6.380	5.150	40	.114/2.90	1521A290
6.380	5.150	40	.118/3.00	1521A300
6.380	5.150	40	.122/3.10	1521A310
6.382	5.081	36	.088/2.24	511606
6.384	5.081	36	.077/1.96	511590
6.384	5.081	30	.080/2.03	511604
6.384	5.081	36	.078/1.98	511605
6.384	5.081	36	.078/1.98	51K605
6.385	5.200	24	.071/1.80	511677
6.390	5.256	16/24	.067/1.70	511489
6.390	5.256	16/24	.099/2.51	511490
6.393	5.260	14	.069/1.75	511634
6.393	5.260	14	.100/2.54	511635
6.407	5.150	12/20	.079/2.01	511516
6.410	5.560	40	.070/1.78	511537
6.410	5.560	40	.110/2.79	1537A280
6.410	5.560	40	.114/2.90	1537A290
6.410	5.560	40	.118/3.00	1537A300
6.410	5.560	40	.122/3.10	1537A310
6.410	5.560	40	.126/3.20	1537A320
6.410	5.560	40	.130/3.30	1537A330
6.410	5.560	40	.134/3.40	1537A340
6.410	5.560	40	.138/3.51	1537A350
6.413	5.441	36	.094/2.39	511392
6.415	3.710	32	.098/2.49	511057
6.415	3.710	32	.079/2.01	511062
6.415	3.710	32	.118/3.00	511164
6.420	5.615	36	.079/2.01	511665
6.440	5.275	24	.079/2.01	511387
6.440	5.275	24	.070/1.78	511388
6.454	5.320	20	.040/1.02	511081
6.462	5.313	20	.071/1.80	511082
6.482	5.020	12	.069/1.75	511530
6.482	5.020	12	.069/1.75	51K530
6.485	5.025	12	.067/1.70	511574
6.490	5.538	40	.118/3.00	511793
6.490	5.535	40	.071/1.80	511802
6.495	5.401	13	.070/1.78	511717
6.497	5.297	48	.094/2.39	511390
6.502	4.250	44	.098/2.49	511620
6.504	5.469	7	.052/1.32	511476
6.504	5.469	7	.091/2.31	511477
6.520	5.640	36	.070/1.78	511538
6.520	5.640	36	.055/1.40	1538A140
6.520	5.640	36	.098/2.49	1538A250
6.520	5.640	36	.102/2.59	1538A260

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.520	5.640	36	.106/2.69	1538A270
6.520	5.640	36	.110/2.79	1538A280
6.520	5.640	36	.114/2.90	1538A290
6.520	5.640	36	.118/3.00	1538A300
6.520	5.640	36	.122/3.10	1538A310
6.520	5.640	36	.126/3.20	1538A320
6.540	5.685	24	.172/4.37	511153
6.545	5.538	20	.040/1.02	511068
6.545	5.540	24	.094/2.39	511160
6.547	5.540	24	.156/3.96	511154
6.576	5.403	36	.115/2.92	511340
6.578	5.119	26	.125/3.18	511041
6.578	5.119	26	.059/1.50	511042
6.578	5.119	26	.090/2.29	511047
6.578	5.119	26	.080/2.03	511453
6.578	5.119	26	.080/2.03	511653
6.578	5.119	26	.095/2.41	511709
6.578	5.119	26	.059/1.50	51K042
6.578	5.119	26	.090/2.29	51K047
6.578	5.119	26	.080/2.03	51K453
6.584	5.538	14	.039/0.99	511549
6.584	5.128	14	.119/3.02	511550
6.584	5.128	14	.072/1.83	511551
6.585	5.620	12	.060/1.52	511111
6.605	5.130	17	.098/2.49	511024
6.605	5.545	17	.040/1.02	511026
6.605	5.130	17	.087/2.21	511227
6.610	5.765	24	.079/2.01	511486
6.615	5.690	24	.076/1.93	511155
6.622	5.527	13	.094/2.39	511194
6.650	5.660	13	.071/1.80	511724
6.650	5.662	15	.071/1.80	511992
6.650	5.655	15	.071/1.80	511995
6.654	5.872	24	.071/1.80	511202
6.655	5.880	24	.094/2.39	511195
6.655	5.535	10	.140/3.56	511722
6.655	5.535	10	.157/3.99	511751
6.660	5.540	10	.071/1.80	511703
6.660	5.540	10	.098/2.49	511704
6.665	5.906	NA	.099/2.51	511003
6.670	5.660	10	.098/2.49	511993
6.694	5.189	16	.077/1.96	511579
6.700	5.120	28	.079/2.01	511106
6.700	5.378	20/28	.080/2.03	511107
6.700	5.120	28	.079/2.01	51K106
6.700	5.120	28	.059/1.50	51K106-150
6.700	5.378	20/28	.080/2.03	51K107
6.700	5.378	20/28	.058/1.47	51K107-147
6.700	5.378	20/28	.067/1.70	51K107-170

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.701	5.189	8	.124/3.15	511464
6.703	5.656	13	.079/2.01	511713
6.703	5.656	13	.118/3.00	511716
6.703	5.656	15	.118/3.00	511719
6.727	5.039	0	.053/1.35	511497
6.727	5.562	36	.091/2.31	511539
6.727	5.562	36	.110/2.79	1539A280
6.727	5.562	36	.114/2.90	1539A290
6.727	5.562	36	.118/3.00	1539A300
6.727	5.562	36	.122/3.10	1539A310
6.727	5.562	36	.126/3.20	1539A320
6.727	5.562	36	.130/3.30	1539A330
6.727	5.562	36	.134/3.40	1539A340
6.727	5.562	36	.138/3.51	1539A350
6.730	5.890	36	.079/2.01	511193
6.746	5.200	15/24	.079/2.01	511198
6.746	5.200	16	.158/4.01	511203
6.746	5.404	36	.076/1.93	511411
6.755	5.765	30	.070/1.78	511689
6.755	5.765	30	.110/2.79	511690
6.755	5.765	30	.138/3.51	511691
6.760	5.610	36	.071/1.80	511161
6.786	5.480	11	.079/2.01	511958
6.799	5.847	60	.080/2.03	511045
6.799	5.847	60	.080/2.03	51K045
6.800	6.035	20	.071/1.80	511029
6.810	5.900	10/12	.071/1.80	511428
6.810	5.908	10	.070/1.78	511430
6.810	5.905	10	.055/1.40	511669
6.812	5.630	30	.095/2.41	511381
6.812	5.630	30	.079/2.01	511383
6.812	5.630	30	.068/1.73	511384
6.813	5.364	42	.107/2.72	511144
6.813	5.364	42	.086/2.18	511251
6.815	5.507	36	.114/2.90	511271
6.817	5.360	42	.077/1.96	511181
6.820	5.680	7	.070/1.78	511808
6.821	5.506	24	.134/3.40	511279
6.822	5.675	7	.083/2.11	511821
6.825	5.680	3	.065/1.65	511809
6.833	5.964	36	.080/2.03	511298
6.862	5.711	16/24	.079/2.00	511316
6.870	5.400	12	.068/1.73	511492
6.870	5.400	12	.086/2.18	511495
6.870	5.695	23	.095/2.41	511764
6.870	5.400	12	.068/1.73	51K492
6.871	5.400	12	.068/1.73	511487
6.880	5.625	16/30	.097/2.46	511385
6.880	5.625	16/30	.071/1.80	511386

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
6.881	5.670	40	.071/1.80	511223
6.882	5.672	40	.009/3.02	511308
6.883	5.672	40	.085/2.16	511221
6.885	5.625	30	.073/1.85	511110
6.886	6.106	36	.079/2.01	511956
6.890	5.380	6	.079/2.01	511959
6.892	5.720	17	.069/1.75	511554
6.892	5.720	17	.069/1.75	511589
6.892	5.720	17	.089/2.26	511591
6.892	5.720	17	.089/2.26	511592
6.892	5.720	17	.049/1.24	511593
6.892	5.720	16	.047/1.19	511594
6.892	5.720	5	.095/2.41	511598
6.892	5.720	17	.096/2.44	511630
6.892	5.720	17	.125/3.18	511631
6.892	5.720	17	.079/2.01	511654
6.892	5.720	17	.069/1.75	51K554
6.898	6.486	12	.099/2.51	511852
6.898	5.645	12	.071/1.80	511881
6.915	5.745	24	.080/2.03	511417
6.915	5.745	24	.094/2.39	511418
6.915	5.740	24	.071/1.80	511422
6.918	4.997	22	.063/1.60	511357
6.918	4.997	21/22	.078/1.98	511358
6.918	4.997	22	.099/2.51	511359
6.918	4.997	22	.0693/1.76	511459
6.918	4.997	22	.063/1.60	51K357
6.918	4.997	21/22	.078/1.98	51K358
6.918	4.997	22	.099/2.51	51K359
6.918	4.997	22	.069/1.75	51K459
6.919	5.743	24	.157/3.99	511636
6.919	5.743	24	.130/3.30	511637
6.920	5.745	24	.095/2.41	511678
6.922	5.914	27/36	.111/2.82	511342
6.923	6.059	30	.118/3.00	511255
6.923	6.058	30	.094/2.39	511256
6.930	5.880	12/20	.086/2.18	511511
6.930	5.880	12/20	.070/1.78	511515
6.935	5.882	12/20	.197/5.00	511517
6.940	4.795	8	.090/2.29	511541
6.970	5.790	36	.091/2.31	511776
6.970	5.790	36	.110/2.79	511777
6.987	5.515	32	.063/1.60	511180
6.987	5.515	32	.071/1.80	5111012
7.000	5.745	36	.079/2.01	511189
7.020	5.640	12/16	.071/1.80	511801
7.024	5.694	15/16	.070/1.78	511262
7.025	5.933	18	.062/1.57	511146
7.025	5.695	15/16	.142/3.61	511275

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
7.025	5.930	18	.079/2.01	511792
7.035	5.340	12	.069/1.75	511281
7.035	5.340	12	.079/2.01	511282
7.035	5.342	12	.086/2.18	511283
7.035	5.340	12	.050/1.27	511284
7.035	5.340	10/12	.067/1.70	511533
7.035	5.340	12	.090/2.29	511706
7.035	5.340	12	.069/1.75	51K281
7.035	5.342	12	.086/2.18	51K283
7.078	5.421	13/24	.079/2.00	511315
7.079	5.697	45	.068/1.73	511491
7.079	5.697	45	.068/1.73	51K491
7.082	6.186	12	.078/1.98	511174
7.082	6.220	14	.071/1.80	511520
7.084	6.220	14	.154/3.91	511305
7.084	6.220	14	.119/3.02	511306
7.084	6.220	14	.146/3.70	1305A370
7.084	6.220	14	.150/3.80	1305A380
7.084	6.220	14	.154/3.90	1305A390
7.084	6.220	14	.157/4.00	1305A400
7.084	6.220	14	.161/4.10	1305A410
7.084	6.220	14	.165/4.20	1305A420
7.084	6.220	14	.169/4.30	1305A430
7.085	5.845	32	.079/2.01	511048
7.085	5.840	32	.079/2.01	511105
7.085	5.845	32	.079/2.01	51K048
7.085	5.840	32	.079/2.01	51K105
7.105	6.065	12	.070/1.78	511685
7.105	6.065	12	.109/2.77	511686
7.105	6.065	12	.134/3.40	511687
7.105	6.065	12	.157/3.99	511688
7.120	5.720	6	.085/2.16	511225
7.120	5.720	6	.070/1.78	511304
7.120	5.720	6	.070/1.78	51K304
7.130	5.745	17	.118/3.00	511419
7.130	5.745	17	.105/2.67	511423
7.130	6.700	17	.142/3.61	511427
7.130	5.745	17	.130/3.30	511472
7.135	6.175	8	.079/2.01	511836
7.140	5.640	12/16	.079/2.01	511799
7.143	6.320	32	.063/1.60	511092
7.158	6.275	24	.070/1.78	511190
7.177	5.637	6	.079/2.01	511846
7.204	5.695	18	.079/2.01	511046
7.204	5.695	18	.069/1.75	511451
7.204	5.695	18	.069/1.75	51K451
7.226	6.145	36	.079/2.01	511297
7.234	5.827	6	.082/2.08	511803
7.242	5.363	3	.095/2.41	511784

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
7.242	5.363	3	.118/3.00	511785
7.242	5.363	3	.108/2.74	511786
7.248	5.360	3	.079/2.01	511782
7.248	5.363	3	.089/2.26	511783
7.264	5.999	16	.095/2.41	511945
7.276	5.958	10	.071/1.80	511844
7.276	5.996	16	.071/1.80	511941
7.280	6.100	30	.107/2.72	511376
7.280	6.100	30	.153/3.89	511377
7.280	6.100	30	.083/2.11	511378
7.280	6.100	30	.190/4.83	511379
7.280	6.100	30	.069/1.75	511420
7.280	6.100	30	.179/4.55	511470
7.280	6.100	30	.079/2.01	511471
7.280	5.630	20	.070/1.78	511697
7.280	5.630	20	.196/4.98	511698
7.282	6.614	12	.071/1.80	511523
7.284	5.370	30	.118/3.00	511380
7.285	6.125	36	.071/1.80	511396
7.285	5.985	16	.110/2.79	511729
7.290	6.288	15/20	.040/1.02	511321
7.290	6.288	15/20	.067/1.70	511322
7.290	6.095	30	.095/2.41	511421
7.290	6.095	30	.118/3.00	511680
7.295	6.219	24	.068/1.73	511326
7.309	6.004	6	.095/2.41	511940
7.310	6.000	6	.079/2.01	511943
7.312	6.229"	7	.083/2.11	511319
7.312	5.834	7	.072/1.83	511320
7.312	6.229	7	.083/2.11	511325
7.316	6.461	12	.055/1.40	511162
7.325	6.450	12	.055/1.40	511699
7.325	5.995	6	.110/2.79	511728
7.325	6.265	12	.057/1.45	511888
7.325	6.265	12	.060/1.52	511889
7.358	6.304	8	.078/1.98	511862
7.384	6.516	24	.071/1.80	511309
7.384	6.310	24	.094/2.39	511312
7.390	6.559	16	.063/1.60	511094
7.400	6.015	36	.068/1.73	511185
7.400	6.015	36	.068/1.73	51K185
7.410	6.035	16	.098/2.49	511030
7.410	6.300	16	.040/1.02	511031
7.410	6.035	16	.153/3.89	511039
7.413	6.035	16	.087/2.21	511177
7.422	5.834	6	.078/1.98	511562
7.432	5.834	6	.078/1.98	51K562
7.433	6.043	11/24	.073/1.85	511219
7.433	6.047	11/24	.087/2.21	511220

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
7.433	6.047	11/24	.095/2.41	511249
7.445	5.870	18	.068/1.73	511129
7.445	5.870	18	.089/2.26	511131
7.445	5.870	18	.099/2.51	511132
7.445	5.870	18	.068/1.73	51K129
7.447	5.860	18	.079/2.01	511130
7.480	6.378	36	.069/1.75	511264
7.480	6.080	36	.069/1.75	511267
7.480	4.638	48	.098/2.49	511624
7.520	6.100	30	.070/1.78	511696
7.532	6.153	27/36	.068/1.73	511327
7.533	6.379	36	.099/2.51	511328
7.543	6.470	24	.071/1.80	511299
7.559	5.708	0	.045/1.14	511575
7.582	6.469	24	.071/1.80	511300
7.592	6.518	12	.079/2.01	511939
7.636	5.525	18	.100/2.54	511619
7.672	6.400	6	.095/2.41	511944
7.680	6.445	30	.083/2.11	511170
7.680	6.450	30	.118/3.00	511172
7.690	6.811	14	.068/1.73	511536
7.690	6.811	14	.075/1.91	1536A190
7.690	6.811	14	.079/2.01	1536A200
7.690	6.811	14	.083/2.11	1536A210
7.690	6.811	14	.087/2.21	1536A220
7.690	6.811	14	.091/2.31	1536A230
7.690	6.811	14	.095/2.41	1536A240
7.690	6.811	14	.098/2.49	1536A250
7.690	6.811	14	.177/4.50	1536A450
7.726	6.300	8	.099/2.51	511461
7.726	6.300	8	.098/2.50	51K461
7.728	6.300	8	.097/2.46	511467
7.732	6.430	16/24	.063/1.60	511222
7.750	5.835	30	.140/3.56	511425
7.805	6.557	13/24	.095/2.41	511314
7.824	6.186	7	.079/2.01	511343
7.824	6.186	7	.079/2.01	511344
7.825	6.581	7	.099/2.51	511317
7.864	6.817	15/20	.040/1.02	511303
7.874	6.446	30	.090/2.29	511288
7.930	6.181	15/24	.095/2.41	511313
7.943	5.560	5	.091/2.31	511581
7.972	7.101	12	.063/1.60	511089
7.972	7.101	6	.079/2.01	511099
7.985	3.350	3	.060/1.52	511891
8.000	5.557	5	.080/2.03	511577
8.015	6.300	42	.087/2.21	511641
8.015	6.300	42	.067/1.70	51K641-170
8.035	6.440	3	.074/1.88	511710

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
8.040	6.740	36	.109/2.77	511187
8.040	6.360	9	.068/1.73	511188
8.040	6.740	36	.109/2.77	51K187
8.040	6.360	9	.068/1.73	51K188
8.050	6.300	42	.087/2.21	51K641
8.065	6.665	7	.118/3.00	511666
8.071	7.098	32	.061/1.55	511083
8.148	6.693	10	.077/1.96	511191
8.153	7.125	15	.063/1.60	511085
8.165	6.680	36	.085/2.16	511184
8.165	6.680	36	.085/2.16	51K184
8.193	6.814	15/24	.099/2.51	511570
8.220	6.145	7	.068/1.73	511552
8.220	6.150	7	.078/1.98	511752
8.220	6.145	7	.068/1.73	51K552
8.242	6.545	11	.078/1.98	511483
8.242	6.545	11	.101/2.57	511484
8.305	7.170	32	.118/3.00	511683
8.314	6.893	20	.095/2.41	511215
8.328	6.206	30	.079/2.01	511043
8.328	6.206	30	.079/2.01	51K043
8.338	6.210	26/30	.125/3.18	511049
8.338	6.210	26/30	.125/3.18	51K049
8.340	6.500	26/30	.125/3.18	511103
8.340	6.500	26/30	.118/3.00	511109
8.340	6.500	26/30	.118/2.99	51K109
8.425	5.945	16	.111/2.82	511216
8.425	6.100	24	.118/3.00	511426
8.430	6.095	24	.070/1.78	511424
8.445	6.772	10	.130/3.30	511493
8.445	6.772	10	.130/3.30	51K493
8.480	7.169	17	.087/2.21	511394
8.493	6.732	16	.110/2.79	511217
8.503	6.987	36	.078/1.98	511346
8.506	6.988	36	.097/2.46	511389
8.506	6.992	36	.088/2.24	511439
8.540	6.814	11/24	.069/1.75	511568
8.563	7.564	17	.070/1.78	511393
8.566	6.378	11	.069/1.75	511265
8.567	6.158	21	.069/1.75	511266
8.626	6.854	12	.068/1.73	511571
8.633	7.171	36	.048/1.22	511409
8.635	6.585	30	.100/2.54	511610
8.657	7.009	10	.079/2.01	511295
8.705	6.895	12/15	.084/2.13	511337
8.716	7.603	54	.075/1.91	511404
8.884	6.975	24/40	.079/2.01	511330
8.884	7.331	40	.083/2.11	511331
8.884	7.331	38/40	.119/3.02	511332

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
8.884	7.331	40	.062/1.57	5111000
8.952	7.795	18	.069/1.75	511233
8.952	7.795	18	.083/2.11	511236
8.952	7.795	18	.091/2.31	511237
8.952	7.795	18	.098/2.49	511238
8.952	7.795	18	.106/2.69	511239
9.103	7.723	27/30	.079/2.01	511334
9.111	7.452	15/24	.115/2.92	511270
9.111	7.452	15/24	.134/3.40	511278
9.203	7.468	6	.079/2.01	511044
9.203	7.468	6	.079/2.01	51K044
9.215	7.455	6	.079/2.01	511104
9.215	7.455	6/32	.079/2.01	51K104
9.255	7.195	5	.115/2.92	511339
9.300	7.761	10/15	.069/1.75	511341
9.545	7.641	11/24	.068/1.73	511272
9.601	7.436	11/24	.068/1.73	511268
9.610	7.100	27/36	.098/2.49	511642
9.610	7.100	27/36	.125/3.18	511643
9.610	7.100	27/36	.079/2.01	511652
9.610	7.100	27/36	.098/2.49	51K642
9.610	7.100	27/36	.067/1.70	51K642-170
9.640	7.210	14	.104/2.64	511615
9.696	7.296	9/36	.100/2.54	511611
9.705	7.105	36	.098/2.49	511644
9.705	7.105	36	.079/2.01	511645
9.705	7.105	36	.120/3.05	511646
9.705	7.105	36	.098/2.50	51K644
9.735	7.336	36	.100/2.54	511617
10.306	7.701	24/48	.098/2.49	511622
10.306	7.701	20	.130/3.30	511633
11.055	8.705	34/45	.120/3.05	511058
11.055	8.705	34/45	.098/2.49	511059
11.055	8.705	34/45	.079/2.01	511061
11.065	8.695	45	.118/3.00	511163
11.086	8.537	48	.098/2.49	511621
11.216	8.159	48	.098/2.49	511623
11.496	8.834	11	.100/2.54	511618
11.615	9.200	15	.098/2.49	511616
12.032	9.100	18	.160/4.06	511213
12.040	9.310	24/32	.079/2.01	511060
12.040	9.310	24/32	.079/2.01	511065
12.040	9.310	24/32	.098/2.49	511167
12.040	9.310	24/32	.118/3.00	511168
12.370	10.285	21/24	.105/2.67	511329
12.370	10.285	18/24	.100/2.54	511335
12.910	10.039	56	.098/2.49	511625
13.192	10.825	38	.104/2.64	511613
13.192	10.825	38	.120/3.05	511614

Allomatic Steel Dimensions

OD	ID	Teeth	Thickness	Part #
13.193	10.745	16/18	.119/3.02	511612
13.193	10.745	16/18	.103/2.62	511629
13.843	11.772	45	.131/3.33	511628
13.873	10.988	24/56	.098/2.49	511626
13.873	10.988	56	.098/2.49	511627
14.160	11.855	12	.158/4.01	511063
14.160	9.310	12	.138/3.51	511064
14.160	9.310	12	.079/2.01	511165
14.160	9.310	12	.118/3.00	511166